

CYW horizontal stainless steel water pump

CYW type pump is a horizontal single-stage end-suction centrifugal pump for conveying clean water and liquids with physical and chemical properties similar to water and without solid particles.



Temperature: -10°C~85°C

Flow rate: 4.5m³/h~1660m³/h

Lift: 5.2m~150m (50Hz)

Pressure: 1.6MPa

(special up to 2.5MPa)

Low noise and little vibration

Compact structure small floor area

High concentricity accuracy and smooth operation

Application

Industry, urban water supply and drainage, high-rise booster water supply, garden sprinkler irrigation, fire booster, long-distance transportation, air conditioning circulating cooling water transportation, transportation of liquid media similar to water in production processes and other fields.











picture: from the scene















Industrial Water Supply & Drainage Transfer and return of circulating or cooling water in industrial facilities Process make-up water supply and industrial drainage handling

Urban Water Supply & Drainage Clean-water transport in municipal pipelines Secondary pressurized water supply for urban distribution systems

High-Rise Building Pressure Supply Pressure-stabilized domestic water supply for high-rise residential buildings Booster supply for upper-zone water systems in commercial complexes

Garden & Landscape Irrigation Water supply for automatic sprinkler systems in parks and green areas Irrigation supply for farmland, orchards, and small agricultural systems

Firefighting Pressure Systems Pressure maintenance for building fire-fighting pipelines Base-load boosting for hydrant and sprinkler systems

Long-Distance Water Transfer Cross-area clean-water transport in industrial parks
Long-distance water delivery for rural and agricultural supply lines

Air-Conditioning Circulating Cooling Water

Circulation of chilled water and cooling water in central HVAC systems

Cooling-tower and heat-exchanger loop water circulation

Process Liquids Similar to Water Transfer of clean water and low-viscosity process liquids in production lines Water-supply and circulation systems for various industrial equipment









ENTERPRISE QUALIFICATION

The enterprise qualification certificate is an official recognition of the enterprise's professional capabilities and industry status, marking the The company's outstanding performance and helping to enhance the brand's credibility and market competitiveness.















PATENT CERTIFICATE

After years of unremitting efforts, the R&D team has successfully made breakthroughs in a number of key technologies and obtained a number of high-value patents, significantly promoting technological progress in the industry.























ENTERPRISE CERTIFICATION

National and regional certification authority













File No.: 107-25-W-9061-ARS

THIS IS HERBY DECLARED THAT FOLLOWING DESCRIPTION PRODUCT COMPLIED WITH THE ESSENTIAL HALTH AND SAFITY REQUIREMENTS OF 2004/40/EC _ ON THE APPROXIMATION OR THE LAWS OF THE MEMBER STATES BY ATRIC TO IT.

Application Name and Addre

MEAntui Chango Pump Valve Manufecturing Co., Ltd.

ADDRESS/Serios Real, Jopier Scinettic Development Zone, Scinething City, Artici Province, Crina

-

PRODUCT NAME/Vertical long shaft submersible pump

PRODUCT NAME/VECOR long start submersible po Trademark / brand :

MODILITY Expension (a) proceeding some a self-come is part as an active of some is 4.0 som

APPLICABLE STANDARDS

EN ISO 12109201E, EN ACCISA-1 2018 DN 809(1998+A1 2009)

THIS DECLARATION APPLIES TO ALL SPECIMENS MANUFACTURED DIRNTICAL TO THE MODEL SUBMITTED FOR TESTING / EVALUATION, ASSESSMENT OF COMPULANCE OF THE PRODUCT WITH THE REQUIREMENTS RELATING TO BATETY STANDARDS USTAD ABOVE WAS REFIORMED.



HE TO THE TOTAL THE T











Factory Exhibition























